

# **SIGNS OF INFECTION**

What are some signs of infection?

Looking at your tattoo, if it appears to be bright red around the parameter of your tattoo, this could be a sign of mild infection. If this occurs, PLEASE contact your artist for further guidance.

Some more serious signs of infection include puss, intense throbbing pain, and you may experience a fever. If fever occurs, CONTACT A PHYSICIAN. You will probably need antibiotics to aid you through the healing process.

IF YOU ARE NOT USING SANIDERM, DISREGARD THE FOLLOWING INFORMATION

Potential allergic reactions to Saniderm:

If you develop hives, intense redness, or an extreme, itching/burning sensation underneath your Saniderm bandage, this is a potential indication that you are experiencing an allergic reaction. If you suspect that you're allergic to Saniderm, remove it IMMEDIATELY and contact your artist for further guidance.

NOTE: Some mild redness around the very edge parameters of your Saniderm bandage is totally normal. Especially in more sensitive areas or high areas of movement of the body. Saniderm does not have the same stretchy ability that your skin does, and may cause some mild irritation. THIS IS NOT AN ALLERGIC REACTION.

If it becomes too uncomfortable to bear, please contact your artist for further guidance to instruct you how to heal your tattoo without Saniderm.

If it becomes too uncomfortable to bear, please contact your artist for further guidance and to instruct you how to heal your tattoo without Saniderm.